Chip Vac™

Vacuums chips directly into an open-top drum with no moving parts!

What Is The Chip Vac?

EXAIR's Chip Vac picks up dry or wet chips and delivers them directly to an ordinary open-top drum. The Chip Vac is used to clean chip from fixtures, floors and work surfaces of machining centers, lathes, saws, ills and other industrial equipment. The powerful suction is ideal for fast and efficient cleaning.

EXAIR's Mini Chip Vac System delivers the same cleaning power for small jobs. It comes complete with a 5 gallon drum and all the tools.



Why The Chip Vac?

The compressed air operated Chip Vac is an industrial duty vacuum designed specifically for vacuuming chips. It creates a powerful direct flow action that vacuums metal, wood or plastic chips into an ordinary drum. Designed for occasional use with dusty materials, the included filter bag keeps the surrounding air clean.

Electrically operated "all purpose" vacuums aren't designed for use in industrial environments. As a result, motors wear out quickly and impellers clog. The Chip Vac has no moving parts to wear out or break which ensures long life. Sound level is half that of electric vacs.

The Chip Vac Systems include a drum lid with a locking ring that fits an open top drum. In less than a minute, the Chip Vac can be removed and easily placed onto another drum to keep different materials separate for recycling. Constant heavy lifting and dumping of the vacuum cleaner tanks is eliminated since all chips are vacuumed directly into the drum.

Applications

- CNC's
- Lathes
- Saws
- MillsDrills
- Drills
- GrindersRouters
- Molding machines
- Absorbent pick-up

Advantages

- · No moving parts
- Low cost
- · No motors to clog or wear out
- No electricity
- · Chips go directly into a drum
- · Powerful direct flow action
- Includes accessories
- 50% quieter than electric vacs




The Chip Vac removes abrasive stainless steel chips from a CNC.



110 Gallon Chip Vac offers maximum capacity cleanup on a large machining operation.



The Mini Chip Vac allows for easy clean up of small messes.



Email: info@spraybest.nl Website: www.spraybest.nl



Compressed air, normally 80-100 PSIG (5.5 - 6.9 BAR), flows through the inlet (1) into an annular plenum chamber (2). It is then injected into the throat through directed nozzles (3). These jets of air create a vacuum at the intake (4) which draws material in, accelerates it through the unit (5), and directs it to the bottom of the drum. The airflow exhausts through the port in the drum lid. Airborne particles are trapped by the filter bag (6).

The Chip Vac System can be used with an open head steel, fiber or plastic drum that is in good condition (ANSI Standard #MH2-2004). To prevent material contamination, a poly drum liner can be inserted into the drum.

Warning: Do not use with combustible dust.









Deluxe and Premium Chip Vac Systems include a drum dolly.

Chip Vac System Specifications

Size	Pressure	e Supply	Air Cons	umption	INLET	Sound	
Size	PSIG	BAR	SCFM	SLPM	INLEI	Level	
110, 55 & 30 Gallon	80	5.5	40	1,132	3/8 NPT	77 dBA	
5 Gallon	80	5.5	33	934	3/8 NPT	ава	

Air consumption has been minimized by using the appropriate amount of air required for vacuuming chips.



The Model 6193 Chip Vac System includes a vacuum hose, chip wand and plastic tools.



The Model 6193-5 Mini Chip Vac System includes a vacuum hose, 5 gallon drum, chip wand and plastic tools.



Premium Chip Vac Systems include the drum, drum dolly, an upgrade to static resistant hose, heavy duty aluminum tools, tool holder, air hose and quick connects fittings. (Model 6393 shown.)

Model # Description 55 Gallon Chip Vac System includes the Chip Vac, lever lock drum lid, shutoff valve, filter baq, 10' (3m) flexible vacuum hose (1-1/2"/38mm 6193 I.D.), chip wand, (2) extension wands, crevice tool, brush, skimmer and floor tool (drum not included). 6193-30 30 Gallon Chip Vac System - same as Model 6193 except fits a 30 gallon drum (drum not included). 5 Gallon Mini Chip Vac System - includes the Chip Vac (3/8 NPT), shutoff valve, filter bag, 5 gallon container with lid and lock ring, 10' (3m) 6193-5 flexible vacuum hose (1-1/2"/38mm I.D.), aluminum chip wand, (2) extension wands, crevice tool, brush, skimmer and floor tool. 6293 55 Gallon Deluxe Chip Vac System - same as Model 6193 and adds drum dolly and tool holder (drum not included). 6293-30 30 Gallon Deluxe Chip Vac System - same as Model 6293 except fits 30 gallon drum (drum not included). 6293-5 5 Gallon Deluxe Chip Vac System - same as Model 6193-5 and adds drum dolly. 55 Gallon Premium Chip Vac System - same as Model 6193 and adds a 55 gallon drum, drum dolly, an upgrade to static resistant hose, 6393 an upgrade to heavy duty aluminum tools, 20' (6.1m) air hose, tool holder and quick connects fittings. 6393-30 30 Gallon Premium Chip Vac System - same as Model 6393 except includes 30 gallon drum. 6393-110 110 Gallon Premium Chip Vac System - same as Model 6393 except includes a 110 gallon drum. 6093 Chip Vac Only - Included in all systems listed above.

Chip Vac Systems

Accessories				
Model # Description			Description	
6804	Replacement Filter Bag	9041-5	5 Gallon Drum Dolly	
901176	901176 Tool Holder		30 Gallon Drum Dolly	
901071 Heavy Duty Aluminum Tools plus Tool Holder		9041	55 Gallon Drum Dolly	
6569-20 20' (6.1m) Flexible Vacuum Hose (1-1/2" / 38mm I.D.)		9041-110	110 Gallon Drum Dolly	



Heavy Duty Dry Vac



OUIET, 82





Heavy Duty Dry Vac™

Vacuum more material in less time! Industrial duty vacuum has a rugged construction to resist wear!

What Is The Heavy Duty Dry Vac?

EXAIR's Heavy Duty Dry Vac attaches to an ordinary 30, 55 or 110 gallon open-top drum to turn it into a powerful, industrial duty vacuum cleaner. The Heavy Duty Dry Vac has been engineered to vacuum more dry materials in less time with less wear.

Designed for tough industrial environments, the hardened alloy construction resists premature wear while the increased power handles difficult jobs and 'ars' conditions. The quiet operation makes it suitable for a wide variety of applications including the clean up of abrasive materials like steel shot, garnet, metal chips, and sand while also useful for general purpose applications like vacuuming floors, machines, work stations, industrial machinery and equipment.



Electrically operated vacuums have motors and impellers that clog and wear out quickly. There's also a potential shock hazard when electric vacs are used in standing liquids. The Heavy Duty Dry Vac is compressed air powered which eliminates the shock hazard. It has no moving parts to wear out or break, to assure long life. It is quiet with a sound level that is half that of electric vacs. A static resistant hose prevents painful shocks when vacuuming dry materials.

	1/4 NPT Pipe Plugs	Plastic Pellets	Steel Shot
	bulk density is	(tumbling media)	(blasting media)
	250 lb/ft3 (4005 kg/m3)	bulk density is	bulk density is
	_	69.3 lb/ft³ (1110 kg/m³)	317.7 lb/ft³ (5089 kg/m³)
Standard Chip Vac	11.1 lbs/min (5 kg/min)	27.4 lbs/min (12.4 kg/min)	13 lbs/min (5.9 kg/min)
HD Dry Vac	26.9 lbs/min (12.2 kg/min)	51.6 lbs/min (23.4 kg/min)	32 lbs/min (14.5 kg/min)
% Increase	142%	88%	146%

Applications

- · Work surfaces
- · Abrasive tumbling media
- Industrial machinery
- Shop floors
- · Sand blasting equipment
- Grinders
- · Punch presses
- · Absorbent pick-up
- · Building maintenance/remodeling
- Saws
- Gravel

Advantages

Vacuuming Rate Comparison

- · Moves more material in less time
- · Hardened construction resists wear
- · No moving parts maintenance free
- No motors to clog or wear out
- No electricity
- · Continuous duty with high capacity

: info@spraybest.nl

- Static resistant hose
- Ouiet
- · Powerful direct flow action
- Heavy duty accessories

Website: www.spraybest.nl



The Heavy Duty Dry Vac cleans up a spill of tumbling media.




110 Gallon Heavy Duty Dry Vac provides maximum capacity cleanup for a large, dusty walnut shell blasting application.



Sand that covers the floor around a sand blaster is quickly vacuumed into the drum using the rugged floor tool.



How The Heavy Duty Dry Vac Works



Compressed air, normally 80-100 PSIG (5.5 - 6.9 BAR), flows through the inlet (1) into an annular plenum chamber (2). It is then injected into the throat through directed nozzles (3). These jets of air create a vacuum at the intake (4) which draws material in, accelerates it through the unit (5), and directs it to the bottom of the drum. The airflow exhausts through the port in the drum lid. Airborne particles are trapped by the filter bag (6). The Heavy Duty Dry Vac unit (5) and vacuum tools (7) are built to withstand rugged use.

The Heavy Duty Dry Vac's lever lock drum lid fits any open top drum. Moving it from one drum to another can be done quickly, making it easy to keep different materials separate for recycling. All materials are vacuumed directly into the drum, eliminating the heavy lifting that is common with electrically powered vacuums. The Heavy Duty Dry Vac can be used with an open head steel, fiber or plastic drum that is in good condition (ANSI Standard #MH2-2004). To prevent material contamination, a poly drum liner can be inserted into the drum.

Warning: Do not use with combustible dust.

Heavy Duty Dry Vac System Specifications

Model	Pressure PSIG		Air Cons	umption SLPM	INLET	Sound Level
ALL	80	5.5	68	1,924	3/8 NPT	82 dBA



The Model 6197 Heavy Duty Dry Vac System includes 10' (3m) static resistant hose, 20' (6.1m) compressed air hose, filter bag, aluminum chip wand, shutoff valve, and gauge.



The Model 6297 Deluxe Heavy Duty Dry Vac System comes complete with a 10' (3m) static resistant hose, 20' (6.1m) compressed air hose, filter bag, shutoff valve, gauge, heavy duty tools, tool holder and drum dolly.

Premium Heavy Duty Dry Vac Systems are the same as Model 6297 and add either a 30, 55 or 110 gallon drum.

		Heavy Duty Dry Vac Systems
	Model #	Description
	6197	55 Gallon Heavy Duty Dry Vac System includes the Heavy Duty Dry Vac, lever lock drum lid, shutoff valve, filter bag, 10' (3m) polyethylene static resistant hose (1-1/2"/38mm I.D.), hose hanger, 1/2 NPT quick connect couplings, 20' (6.1m) air hose with swivel fitting, pressure gauge, and aluminum chip wand (drum not included).
	6197-30	30 Gallon Heavy Duty Dry Vac System - same as the Model 6197 excepts fits a 30 gallon drum (drum not included).
×	6297	55 Gallon Deluxe Heavy Duty Dry Vac System-same as Model 6197 plus drum dolly and heavy duty aluminium tools. Additional tools include 2 piece double bend wand, 12" (305mm) floor tool, 11" (279mm) crevice tool, 24" (610mm) crevice tool, skimmer tool with detachable brush, tool holder, and a 3-1/2" (89mm) diameter dust brush with conductive bristles.
	6297-30	30 Gallon Deluxe Heavy Duty Dry Vac System - same as the Model 6297 except fits a 30 gallon drum.
	6397	55 Gallon Premium Heavy Duty Dry Vac System is the same as the Model 6297 and adds a 55 gallon drum.
	6397-30	30 Gallon Premium Heavy Duty Dry Vac System - same as the Model 6397 except includes a 30 gallon drum.
	6397-110	110 Gallon Premium Heavy Duty Dry Vac System - same as the Model 6397 except includes a 110 gallon drum.
	6097	Heavy Duty Dry Vac only- included in all systems listed above.
		Accessories

Model #	Description	Model #	Description
6804	Replacement Filter Bag	9041-30	30 Gallon Drum Dolly
901176	Tool Holder	9041-110	110 Gallon Drum Dolly
901071	Heavy Duty Aluminum Tools plus Tool Holder	901069	55 Gallon Drum Only
6580-20	20' (6.1m) Static Resistant Vacuum Hose	901069-30	30 Gallon Drum Only
9041	55 Gallon Drum Dolly	901069-110	110 Gallon Drum Only

spraybest 🜀

Tel.: +31 (0)20 - 497 67 80 Email : info@spraybest.nl Fax: +31 (0)20 - 497 67 05 Website: www.spraybest.nl

Heavy Duty HEPA Vac

A rugged HEPA quality vacuum! High capacity cleaning for dusty environments!

What Is The Heavy Duty HEPA Vac?

EXAIR's new compressed air operated Heavy Duty HEPA Vac attaches to an ordinary 55 or 110 gallon open top drum to turn it into a powerful, HEPA (High Efficiency Particulate Air) quality, industrial vacuum cleaner. Like the Heavy Duty Dry Vac, it's powerfully designed to move more material with less wear. In addition, the Heavy Duty HEPA Vac has been engineered to filter contaminants to HEPA requirements in dusty environments requiring frequent cleaning.

Why The Heavy Duty HEPA Vac?

Engineered for dusty environments that require regular cleaning, the HEPA filter is designed with high capacity in mind. Ordinary vacuums can clog up quickly in environments with an abundance of dust or particulates. An economical, easily maintained pre-filter stops larger particles of debris while the HEPA filter handles smaller matter. All of EXAIR's filters are 100% tested in strict accordance to IEST-RP-CC-007 for minimum 99.97% filtration at the 0.3 micron level to meet HEPA standards. An optional filter protector is available to extend the life of the HEPA filter.

The Heavy Duty HEPA Vac does not use electricity and has no moving parts, assuring maintenance free operation. This eliminates the risk of electric shock often associated with electric shop vacs. Static resistant hose prevents painful shocks when vacuuming dry, dusty materials.



- For frequent use in dusty environments
- Hardened construction resists wear
- No moving parts maintenance free
- No electricity
- Static resistant hose
- Dust free operation
- Reduces exposure to airborne particulates
- Includes accessories
- Quiet





A clogged filtering system for a buffing booth is quickly cleaned and put back into service using the Heavy Duty HEPA Vac.



A technician uses a Heavy Duty HEPA Vac to perform scheduled maintenance on a pulverizer.


Applications

- Critical dust removal
- · Clean up around grit and dust producing equipment
- Abrasive media
- Shop floors
- Drywall refinishing
- Industrial contaminants
- Mold and allergen removal
- Trapping dust and airborne irritants
- Eliminate exhaust debris

Tel.: +31 (0)20 - 497 67 80

Fax: +31 (0)20 - 497 67 05

How The Heavy Duty HEPA Vac Works



Compressed air, normally 80-100 PSIG (5.5 - 6.9 BAR), flows through the inlet (1) into an annular plenum chamber (2). It is then injected into the throat through directed nozzles (3). These jets of air create a vacuum at the intake (4) which draws material in, accelerates it through the unit (5), and directs it to the bottom of the drum. The airflow passes first through the pre-filter and then through the 0.3 micron HEPA filter, trapping airborne particles. It then exhausts through the vent in the drum lid (6). The Heavy Duty Dry Vac unit (5) and vacuum tools (7) are built to resist wear.

The Heavy Duty HEPA Vac's lever lock drum lid fits any open top 55 gallon drum. Moving it from one drum to another can be done quickly, making it easy to keep different materials separate for recycling. All materials are vacuumed directly into the drum, eliminating the heavy lifting that is common with electrically powered vacuums. The Heavy Duty HEPA Vac can be used with an open head steel, fiber or plastic drum that is in good condition (ANSI Standard #MH2-2004). To prevent material contamination, a poly drum liner can be inserted into the drum.

Warning: Do not use with combustible dust.

Heavy Duty HEPA Vac System Specifications

Model	Pressure PSIG	Supply BAR	Air Cons	umption SLPM	INLET	Sound Level
ALL	80	5.5	68	1,924	3/8 NPT	82 dBA



The Model 6199 Heavy Duty HEPA Vac System includes HEPA filter, pre-filter, 10' (3m) static resistant hose, 20' (6.1m) compressed air hose, aluminum chip wand, shutoff valve, and gauge.



The Model 6299 Deluxe Heavy Duty HEPA Vac System comes complete with HEPA filter, pre-filter, 10' (3m) static resistant hose, 20' (6.1m) compressed air hose, shutoff valve, gauge, heavy duty tools, tool holder and drum dolly.

Premium Heavy Duty HEPA Vac Systems are the same as Model 6299 and add either a 55 or 110 gallon drum.



Heavy Duty HEPA Vac Systems

	Model #	Description
	6199	55 Gallon Heavy Duty HEPA Vac System includes Heavy Duty Dry Vac, lever lock drum lid, shutoff valve, pre-filter, HEPA filter, 10' (3m) polyethylene static resistant hose (1-1/2"/38mm I.D.), hose hanger, 1/2 NPT quick connects coupling, 20' (6.1m) air hose with swivel fitting, pressure gauge, and aluminum chip wand (drum not included)
	6299	55 Gallon Deluxe Heavy Duty HEPA Vac System- same as Model 6199 plus drum dolly and heavy duty aluminium tools. Additional tools include 2 piece double bend wand, 12" (305mm) floor tool, 11" (279mm) crevice tool, 24" (610mm) crevice tool, skimmer tool with detachable brush, tool holder, and a 3-1/2" (89mm) diameter dust brush with conductive bristles.
Ī	6399	55 Gallon Premium Heavy Duty HEPA Vac System is the same as the Model 6299 and adds a 55 gallon drum.
Ŵ	6399-110	110 Gallon Premium Heavy Duty HEPA Vac System - same as Model 6399 except includes a 110 gallon drum.
	6097	Heavy Duty Dry Vac only- included in all systems listed above.

	Accessories					
Model # Description		Model #	Description			
901356	Replacement Pre-filter	6580-20	20' (6.1m) Static Resistant Vacuum Hose			
901357 Replacement HEPA Filter		9041	55 Gallon Drum Dolly			
901373	Optional Filter Protector	901069	55 Gallon Drum Only			
901071	Heavy Duty Aluminum Tools plus Tool Holder	901176	Tool Holder			

spraybest 🐼

Tel.: +31 (0)20 - 497 67 80 Email : info@spraybest.nl Fax: +31 (0)20 - 497 67 05 Website: www.spraybest.nl